


. - . - -



- -



. - -
. - -



-1

:

:

:

— — — — —

· · · · · :

() ()

()

— २

()




L . ()

(, - ,)

. (-) . (×) L

. (-) L

(ASTM D) TPH



;))

(ASTM D) (ASTM D)
 .(ASTM D) (ASTM D) -
)
 (


TPH




:()

L		L		L		
'		'		'		Gs-
'	'	'	'	'	'	(%)
'	'	'	'	'	'	(/)
'	'	'	'	'	'	(%)
'	'	'	'	'	'	
%		%		%		
- * ,	- * ,	- * ,	- * ,	- * ,	- * ,	(/)

TPH : ٢

			(/)	TP	
	%	%			
% % %	% % %	% % %	٩٧٠٠٠	TP-١	L١
			٤٥٠٠	TP-٢	L١
% % %	% % %	% % %	٦٦٦٠٠	TP-٣	L٢
			٢٨٠٠	TP-٤	L٢
			٢٠٠٠٠٠٠	-	محتوى L٢
% % %	% % %	% % %	٦١٠٠٠	TP-٥	L٣
			١٢٠٠	TP-٦	L٣
			٤٢٠٠٠	TP-٧	L٣
			٦٠٠٠٠٠	-	محتوى L٣





:۳

L

L

، L^۳

.L

Coutinho and)

.(Lacerda,

()

L

(Unified Soil Classification System)

L

GM

L

SM

.CL

()

L

/

,

,

L

)

/

,

,

/

,

,

L^۳

(L

(Odell et al.,)

()

/ - * , L
- * , L / - * ,
L / - * , /

.()

(TPH)

) / (-)
(/ TPH

. / L
(-) (L) (L)
/

(/)

L L
L , , (/)
) , , (/)

TPH

.(

()

% L %
L % L

(Coutinho and Lacerda,)

(, - ,)

- e

(in-situ) : (EPA,)
:() (off-site)

(EPA,)

:3

/				
EPA, 1989	x	x		
(Beckett and Huntley, 1994) (DiGiulio and Nyerr, 1993) (Johnson, et al.; 1990)		x		
(Grasso, 1993)		x		
(Alexander, 1994) (Flathman, 1993) (Norris et al.; 1994)		x		
(Harder and Hopner, 1991) (McAllister and Chiang, 1994) (Wiedemeier, 1994)		x		
(Troxler, 1994) (Anderson, 1993)	x	x		

(EPA, 1996)	X	X		
-------------	---	---	--	--

*

:4

	TPH /	(%)			(%)			
1200-1800	60000 >	90	70	40	100	100	70	
1000-2000	60000 >	100	70	20	100	100	-	
2200-2800	40000 >	20	100	20	80	100	-	
1000-2000	50000 >	20	100	20	80	100	-	
2000-3000	20000 >	100	20	20	90	100	-	
1000-2000	60000 >	100	90	80	100	100	-	
2200-3000	> 100000	100	70	20	100	80	70	

*

-(Alexander, 1995) (EPA, 1989)

)

.(

(Alexander, 1995) (Grasso, 1992)

(Grasso, 1992)

(EPA, 1996)

EPA, 1989

(Harder and Hopner, 1991)

(TPH)

(EPA, 1996)

/

. /

. /

-

- 6

(Statewide Order No. -B

.[commercial facility regulations])

(TPH)

:°

(/)	
١.....	
٢.....١.....	
١.....٢.....	

TPH

(TPH)

TPH

) / (-)

TPH

.(/

L

(-)

. /

٨٥

- -

(L) (L) /

)
(TPH)
(
. /

TPH
. /

TPH :3

	()	()	(/)TPH
	-		>
	-		-
			-
			-
			-

			IR
	-		IR

- v

. / (-)

/

()

% %

%

L

()

(EPA,) %

L


.(HDPE)

AY

- -



/ (-)




(EPA, ١٩٨٩)

:(٤)

% %

(EPA,) % %



()

(Flathman,)

.% %
/ v-

(, -)

()

PI

%

NO.

(-)

- 9

:

•

•

•

:

/ (TPH)

•

/

% %

% % %

% %

. - . - - -

•

/

.% %

المراجع

- Alexander, M. ١٩٩٤. Biodegradation and Bioremediation. San Diego, CA: Academic Press
- Anderson, W.C., ed. ١٩٩٣. Innovative Site Remediation Technology: Thermal Desorption, Volume ٦. Washington, D.C.: U.S. EPA, Office of Solid Waste and Emergency Response. EPA ٥٤٢-B-٩٣-٠١١.
- Beckett, G.D. and D. Huntley. ١٩٩٤. Characterization of Flow Parameters Controlling Soil Vapor Extraction. Groundwater. Vol. ٣٢, No. ٢, pp. ٢٣٩-٢٤٧.
- Coutinho, R. Q., and Lacerda, W. A. ١٩٨٧. Characterization and consolidation of Juturnaiba organic clays, Proceedings of the international Symposium on Geotechnical Engineering of Soft Soils, Mexico, Vol. ١, pp. ١٧-٢٤.
- DiGiulio, D. ١٩٩٢. Evaluation of Soil Venting Application. Ada, OK: U.S. Environmental Protection Agency, Office of Research and Development. EPA/٥٤٠/S-٩٢/٠٠٤.
EPA ٥٤٢-F-٩٦-٠٠٢ April ١٩٩٦
- EPA /٦٢٥/٤-٨٩/٠٢٢ August ١٩٨٩
- Flathman, P.E. and D.E. Jerger. ١٩٩٣. Bioremediation Field Experience. Boca Raton, FL: CRC Press
- Grasso, D. ١٩٩٣. Hazardous Waste Site Remediation, Source Control. Boca Raton, FL: CRC Press.
- Harder, H., and T. Hopner. ١٩٩١. "Hydrocarbon Biodegradation in Sediments and Soils: A Systematic Examination of Physical and Chemical Conditions - Part ٥ Moisture." Hydrocarbon Technology, pp. ٣٢٩-٣٣٣.
- Johnson, P.C., Stanley, C.C., Kemblowski, M.W., Byers, D.L., and J.D. Colthart. ١٩٩٠. A Practical Approach to the Design, Operation and Monitoring of In Situ Soil-Venting Systems. Ground Water Monitoring Review, Vol. ١٠, No. ٢, pp. ١٥٩-١٧٨.
- McAllister, P.M. and C.Y. Chiang. ١٩٩٤. "A Practical Approach to Evaluating Natural Attenuation of Contaminants in Groundwater." Groundwater Monitoring Review, pp. ١٦١-١٧٣.

-
- Norris, R.D., Hinchee, R.E., Brown, R.A., McCarty, P.L., Semprini, L., Wilson, J.T., Kampbell, D.H., Reinhard, M., Bower, E.J., Borden, R.C., Vogel, T.M., Thomas, J.M., and C.H. Ward. 1994. Handbook of Bioremediation. Boca Raton, FL: CRC Press
- Nyer, E.K. 1993. Practical Techniques for Groundwater and Soil Remediation. Boca Raton, FL: Lewis Publishers, CRC Press, Inc.
- Odell, R. T., Thornburn, T. H., and McKenzie, L. 1960. Relationships of Atterberg Limits to some other properties of Illinois soils, Proceedings of the Soil Science Society of America, Vol. 24, No. 2, pp. 297-300.
- State Order 29. State of Louisiana.
<http://www.dnr.state.la.us/CONS/29B.ssi>
- Troxler, W.L., J.J. Cudahy, R.P. Zink, and S.I. Rosenthal. 1994. Thermal Desorption Applications Manual for Treating Non-hazardous Petroleum Contaminated Soils. Cincinnati, OH: U.S. EPA, Office of Research and Development.
- Wiedemeier, T.H., J.T. Wilson, D.H. Kampbell, and R.N. Miller. 1994. "Proposed Air Force Guidelines for Successfully Supporting the Intrinsic Remediation (Natural Attenuation) Option at Fuel Hydrocarbon-Contaminated Sites". Proceedings, 1994 Outdoor Action Conference, May 23-26, Minneapolis, MN.

//