| أسماء المشاركين | الناشر الرئيسي | نوع المنشور | رقم الصفحة الأولى والأخيرة | عام النشر | المجلد والعدد | اسم المجلية | عنوان البحث | الرقم |
|---|---|---|---|---|---|---|---|---|
| Grand-Ravel, C., Guillaumin, J.J. | **Naffaa, W.** | دكتوراه | 185-200 | 1996 | 19 (7) | *IOBC WPRS Bulletin* | Morphological and molecular variability among *Acremonium* isolates from 22 species of Poaceae in France . http://prodinra.inra.fr/record/120613 | 1 |
| Ravel, C. and Guillaumin, J. J. | **Naffaa, W.** | دكتوراه | 231-237 | 1997 | 44 | *Canadian Journal of Microbiology* | Nutritional requirements for growth of fungal endophytes of grasses doi: 10.2307/3807523 | 2 |
| Ravel, C., **Naffaa, W**., Astier C., Charmet, G | Lewis, G. | مستقل | 227-238 | 1997 | 130 | *Ann. Appl. Biol.* | Occurrence of *Acremonium* endophytes in wild populations of *Lolium* spp. In European countries and a relationship between level of infection and climate in France. https://doi.org/10.1111/j.1744-7348.1997.tb06828.x | 3 |
| Ravel, C., Guillaumin, J. J. | **Naffaa, W.** | دكتوراه | 211-226 | 1998 | 132 | *Ann. Appl. Biol.* | A new group of endophytes in European grasses https://doi.org/10.1111/j.1744-7348.1998.tb05198.x | 4 |
| Astier, C., Ravel, C., Guillaumin, J. J | **Naffaa, W.** | دكتوراه | 133-144 | 1999 | 19 | *Agronomie* | Creation of stable associations between perennial ryegrass or tall fescue and fungal endophytes https://doi.org/10.1051/agro:19990206 | 5 |
| Ravel, C., Boyer, N., Guillaumin, J. J. | **Naffaa, W.** | دكتوراه | 611 – 619 | 1999 | 19 | *Agronomie* | Peroxidase activity of perennial rye-grass and tall fescue seedlings artificially infected with endophytes https://doi.org/10.1051/agro:19990705 | 6 |
| Al-Assas, K., **Naffaa, W** | Al-Abed Al-Kader, | ماجستير | 335 – 343 | 2004 | 20 | *Damascus University J. for Agricul. Sciences* | Plant Nematode Associated with the Wheat rhizosphere in the Southern region of Syria | 7 |
| -_____ | **Naffaa, W.** | مستقل | 181 - 192 | 2005 | 21 | *Damascus University J. for Agricultural Sciences* | Les champignons endophytes des graminées en Syrie http://damascusuniversity.edu.sy/mag/farm/images/stories/1-2005/181-192.pdf | 8 |

| | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| Al-Assas, K., **Naffaa, W** | Al-Abed Al-Kader | ماجستير | 14 - 18 | 2005 | 23 (1) | *Arab Journal of Plant Protection* | The interaction between cyst nematode *Heterodera latipons* and root rot fungi *Cochliobolus sativus* https://asplantprotection.org/wp-content/uploads/2018/07/V23-1_14-18.pdf | 9 |
| Faddoul, J. | **Naffaa, W.** | مستقل | 99 – 111. | 2008 | 24 (1) | *Damascus University Journal for Agricultural Sciences* | Efficacy of soil solarization and dazomet as dlternatives to methyl bromide in controlling soil-borne pathogenic fungi in the greenhouses http://damascusuniversity.edu.sy/mag/farm/images/stories/021.pdf | 10 |
| Pilal, H | **Naffaa, W.** | مستقل | 123 - 137 | 2008 | 24 (2) | *Damascus University Journal for Agricultural Sciences* | Testing of metam sodium and soil steaming efficacy as methyl bromide alternatives in controlling soil-borne fungi in the greenhouses http://damascusuniversity.edu.sy/mag/farm/images/stories/123.pdf | 11 |
| Paul, V. H | **Naffaa, W.** | مستقل | 135 -149 | 2009 | 25 (1) | *Damascus University Journal for Agricultural Sciences* | Effect of legume seed treatments by some fungicides to control *Phoma* spp., agent of root-rot disease http://damascusuniversity.edu.sy/mag/farm/images/stories/135-149.pdf | 12 |
| Al-Assas, K | **Naffaa, W.** | مستقبل | 90 – 97 | 2009 | 5 (1) | *Jordan Journal of Agricultural Sciences.* | Interaction of root-knot nematode *Meloidogyne incognita* and vascular wilt fungus *Verticillium dahliae* on cotton https://journals.ju.edu.jo/JJAS/article/view/928 | 13 |
| Paul, V. H. | **Naffaa, W.** | مستقل | 145 – 158 | 2009 | 25 (2) | *Damascus University Journal for Agricultural Sciences.* | Effect of some new fungicides on the *in vitro* growth of some pathogen fungi http://damascusuniversity.edu.sy/mag/farm/images/stories/145-158.pdf | 14 |
| Al-Assas, K. | **Naffaa, W.** | مستقل | | 2009 | 31 (3) | *Tishreen University J. for Research and Scientific Studies – Biological Sciences Series.* | Interaction of root-knot nematode *Meloidogyne incognita* and vascular wilt fungus *Verticillium dahliae* on tomato http://91.144.21.197/index.php/bioscnc/article/download/6011/5761/23245 | 15 |

| | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| **Naffaa, W.**, Abou Fakher, T., Muzher, B., Amer, H. | Abou Al-Fadil, T | مستقل | 16 – 19 | 2010 | 28 (1) | *Arab Journal of Plant Protection* | Identification of the causal fungus of apple stem canker in Sweida, and testing the susceptibility of some varieties to disease https://asplantprotection.org/wp-content/uploads/2018/07/16-19.pdf | 16 |
| **Naffaa, W** | Al-Assas, K. | مستقل | 48 – 54 | 2011 | 28 (1) | *Arab Journal for Arid Environments.* | Effectiveness of *Paecilomyces variotii*, plant extraction of hemlock *Conium maculatum* and some pesticides in controlling root-knot nematode *Meloidogyne incognita* on tomato. https://acsad.org/?p=5820&lang=en | 17 |
| **Naffaa, W**., Martinez, Y., Dechamp-Guillaume, G | Abou Al-Fadil, T. | مستقل | 131 – 138 | 2011 | 29 (1) | *Arab Journal of Plant Protection* | Mode of penetration by *Phoma macdonaldii* in susceptible and tolerant sunflower genotypes https://asplantprotection.org/wp-content/uploads/2018/07/131-138.pdf | 18 |
| **Naffaa, W**., Abou Al Fadil, T. | Said Aldin, A. | ماجستير | 829-834. | 2011 | 10 (2) | *Journal of Plant Protection and Pathology, Mansoura University* | Identification of spot and leaf blight of tomato on the southern region of Syria, and testing the pathogenicity https://jppp.journals.ekb.eg/article_86605_230b45e871d7f8f148f3b849e07986fc.pdf | 19 |
| **Naffaa, W**., Abou Al Fadil, T. | Said Aldin, A. | ماجستير | 383-389 | 2012 | 3 (9) | *J. of Agricultural Chemistry and Biot., Mansoura University* | Testing the sensitivity of some tomatoes varieties to infection with the pathogen *Alternaria alternate* Keissler, and the effect of sodium bicarbonate in fungal growth *in vitro*. https://jacb.journals.ekb.eg/article_55003.html | 20 |
| Altawil, M., **Naffaa, W**, Volker, P.H., Hawat, M. | Madania, A. | ماجستير | 452 - 458 | 2013 | 161 (7-8) | *Journal of Phytopathology* | Morphological and molecular characterization of *Fusarium* isolated from maize in Syria https://doi.org/10.1111/jph.12085 | 21 |
| Sugawara, K. | **Naffaa W.** | مستقل | 12 - 20 | 2013 | 2 (6) | *Arab Journal for Arid Environments.* | Detection and identification of *Neotyphodium* species from DNA extracted from a single seed stored in ethanol. https://acsad.org/?p=6508 | 22 |

| | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| Al Sheble, A., **Naffaa, W**. | Alnaser, Z. | ماجستير | 69-75 | 2015 | 8 (1-2) | *Arab Journal for Arid Environments*. | Pathogenicity of *Fusarium oxysporum* f. sp. *lycopersici* isolates on tomato and the effect of some fungicides on linear growth of testing isolates in *vitro* https://acsad.org/?p=6811&lang=en | 23 |
| **Naffaa, W**., Azmeh, F | **Alimad, N** | دكتوراه | 1088 | 2016 | 51 (2) | *Acta Mycologia* | Initiation and development of *Erysiphe necator* chasmothecia and their role in the epidemiology of grapevine powdery mildew in Southern Syria https://doi.org/10.5586/am.1088 | 24 |
| — | **Naffaa W.** | مستقل | 59 - 67 | 2016 | 1 (1) | *North Journal of Applied and Academic Research* | Antifungal activity of olive pomace extract and its effectiveness against tomato leaf spot disease in greenhouse conditions. https://doi.org/10.12816/0021377 | 25 |
| Rasheed, A | **Naffaa W.** | ماجستير | 32-36 | 2017 | 10 (1-2) | *Arab Journal for Arid Environments*. | First report of *Fusarium solani* causing root rot of pistachio seedlings *Pistacia vera* L. in nurseries in Syria https://acsad.org/?p=7346&lang=en. | 26 |
| Ibrahim, S., Abou-Alfadil, T., Dawood, | **Naffaa Walid** | ماجستير | 533-537 | 2017 | 124 (6) | *Journal of Plant Diseases and Protection* | Incidence of the potato late blight pathogen, *Phytophthora infestans*, in Syria and its mating type https://doi.org/10.1007/s41348-017-0130-8 | 27 |
| Rashid, A | **Naffaa Walid** | ماجستير | 103 - 109 | 2017 | 109 (1) | *Acta Agriculture Slovenica.* | Fungal Pathogens Associated with Crown and Collar Rot of Apple Trees in Southern Syria. https://doi.org/10.14720/aas.2017.109.1.10 | 28 |
| **Naffaa, W**., Azmeh, F | **Alimad, N.** | دكتوراه | 129 – 135 | 2017 | 57 (2) | *Journal of plant protection research.* | Overwintering form of *Erysiphe necator* the causal agent of grapevine powdery mildew in southern Syria https://doi.org/10.1515/jppr-2017-0017 | 29 |
| **Naffaa, W**., Azmeh, F | **Alimad, N** | دكتوراه | 42 -36 | 2017 | 35 (1) | *Arab Journal of Plant Protection* | Susceptibility of some local grape varieties cultivated in southern Syria to powdery mildew caused by *Erysiphe necator* Schwein. https://doi.org/10.22268/AJPP-035.1.036042 | 30 |

| | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| **Alimad, N** | **Naffaa W.** | مستقل | 30-35 | 2018 | 11 (1-2) | *Arab Journal for Arid Environments* | Detection of *Alternaria* and *Stemphylium* teleomorph on grapevine in Syria https://acsad.org/?p=9820&lang=en | 31 |
| Atrash, F., **Naffaa, W** | Akeed, Y. | دكتوراه | 327-334 | 2019 | 37 (4) | *Arab Journal of Plant Protection* | Biocontrol activity of *Bacillus licheniformis* B307 against gray mold caused by *Botrytis cinerea* on tomato https://doi.org/10.22268/AJPP-037.4.327334 | 32 |
| Skheta, A., Jawdat, D., **Naffaa, W** | **Zidan, L**. | دكتوراه | 15 - 18 | 2019 | 36 (1) | *Damascus University J. for Agricultural Sciences* | Comparison of five DNA extraction methods from some *Fusarium* species | 33 |
| Atrash, F., **Naffaa, W** | Akeed, Y | دكتوراه | 47 – 56. | 2019 | 12 (1-2) | *Arab Journal for Arid Environments* | Morphological and molecular identification of *Botrytis cinerea* the causal agent of grey mold isolated from strawberry fruits | 34 |
| Jawdat, D., **Naffaa, W** | **Zidan, L** | دكتوراه | 442-457 | 2020 | 7 (1) | *Syrian Journal of Agricultural Research* | First report of *Fusarium torulosum* associated with root and crown rot of wheat in Syria http://agri-research-journal.net/SjarEn/?p=2348 | 35 |
| Jawdat, D., **Naffaa, W**. | **Zidan, L**. | دكتوراه | 156 – 166 | 2020 | 10 (1) | *Current Research in Environmental & Applied Mycology*. | Morphology, pathogenicity and molecular identification of some *Fusarium* species within the *Gibberella fujikuroi* species complex from wheat in Syria https://doi.org/10.5943/cream/10/1/16 | 36 |
| Atrash, F., **Naffaa, W** | Akeed, Y | دكتوراه | 2405-8440 | 2020 | 6 | *Heliyon Journal*. | Partial purification, and characterization of chitinase from *Bacillus licheniformis* B307. https://doi.org/10.1016/j.heliyon.2020.e03858 | 37 |
| Atrash, F., **Naffaa, W** | Akeed, Y | دكتوراه | 14 – 22 | 2020 | 13 (1) | *Arab Journal for Arid Environments* | Isolation and identification of *Bacillus* spp. from Syrian soils and testing their antifungal activity against *Botrytis cinerea in vitro* https://acsad.org/wp-content/uploads/2022/03/J232-QH2022000139.pdf | 38 |

| | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| **Naffaa, W.**, Azmeh, F. | **Alimad, N.** | دكتوراه | 42 – 53. | 2020 | 13 (1) | *Arab Journal for Arid Environments* | A Biological study of grapevine powdery mildew caused by *Erysiphe necator* Schwein in Sweida province, Southern Syria https://acsad.org/wp-content/uploads/2022/03/J220-QH2022000127.pdf | 39 |
| Jawdat, D., **Naffaa, W** | **Zidan, L.** | دكتوراه | 22 – 31. | 2020 | 13 (2) | *Arab Journal for Arid Environments* | Morphological identification of some *Fusarium* species causing root and crown rot and head blight of wheat in Syria | 40 |
| A. Saleh, D. Jawdat and **W. Naffaa**. | **Zidan L**. | دكتوراه | 1- 9 | 2020 | 13 (2) | *Arab Journal for Arid Environments.* | Morphological and molecular identification of *Fusarium culmorum* and detection of trichothecene-producing isolates from infected wheat in Syria | 41 |
| Abou Fakher, N. | **W. Naffaa** | مستقل | 3 - 14 | 2021 | 6 (1) | *Journal of the North for Basic and Applied Sciences.* | Effectiveness of some natural alternatives in controlling pumpkin powdery mildew caused by *Sphaerotheca fuliginea* (Schlecht.) https://doi.org/10.12816/0058339 | 42 |
| **Naffaa W**. and Lawand S. | **Alimad N.** | دكتوراه | 152 – 158 | 2021 | 39 (2) | *Arab Journal of Plant Protection*. | Detection of *Erysiphe necator*, the causal agent of powdery mildew on grapevine, and determination of their mating types in southern Syria using some molecular markers https://doi.org/10.22268/AJPP-039.2.152158 | 43 |
| **Naffaa, W**., Saleh, A. and Jawdat. | **Zidan, L.,** | دكتوراه | 76 - 88 | 2021 | 55 (1) | *Archives of Phytopathology and Plant Protection*. | Morphological and molecular identification of Fusarium spp. associated with crown and root rot of Cham-5 durum wheat in Syrian costal area. https://doi.org/10.1080/03235408.2021.1995250 | 44 |
| **Naffaa, W** | Ghanem, A. | ماجستير | 385 – 397 | 2022 | 9 (3) | *Syrian Journal of Agricultural Research.* | Determining the primary inoculum source of *Fusarium solani* causing pistachio seedlings death in nurseries and testing the effectiveness of some control methods. http://agri-research-journal.net/SjarEn/?p=4850 | 45 |

| | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| **Naffaa, W** and Mando, M.J. | Abo-Akel, S | ماجستير | 352 – 368. | 2022 | 9 (1) | *Syrian Journal of Agricultural Research.* | Morphological and Molecular characterization of *Rhizoctonia solani* isolates causing black scurf disease to potato in some regions in Syria http://agri-research-journal.net/?p=5584 | 46 |
| **Naffaa W**., Azmeh, F. | Hamzeh, S | ماجستير | 158-163. | 2022 | 40 (2) | *Arab Journal of Plant Protection*. | Occurrence of the hyperparasite *Ampelomyces quisqualis* on *Golovinomyces neosalviae* (Erysiphaceae), causal agent of powdery mildew on common saga (*Salvia officinalis*). https://doi.org/10.22268/AJPP-040.2.158163 | 47 |
| Al-Jaramany, L., Elbenay, A., Al-Mhethawi, R | **Naffaa W** | مستقل | 373 – 380. | 2022 | 15 (3) | *Jordan Journal of Biological Sciences*. | Biological control of tomato damping-off and potato black scurf by seed treatment with *Trichoderma harzianum* https://doi.org/10.54319/jjbs/150305 | 48 |
| Jawdat, D., **Naffaa, W**. | **Zidan, L** | دكتوراه | 175-181 | 2022 | 40 (2) | *Arab Journal of Plant Protection*. | Morphological and molecular characterization of *Fusarium chlamydosporum*, *F. brachygibbosum* and *F. flocciferum* associated with crown and root rot of wheat. https://doi.org/10.22268/AJPP-040.2.175181 | 49 |
| ____ | **Naffaa, W** | مستقل | 3 – 13 | 2022 | 7 (1) | *Journal of the North for Basic and Applied Sciences* | Removing the toxic black mold caused by *Stachybotrys chartarum* (Ehrenb.) Hughes in homes using grape pomace extract as an alternative to chemical fungicides. https://doi.org/10.12816/006703 | 50 |
| Hasan, M., Allaf.I. | **Zidan, L** | ماجستير | 261-271. | 2013 | 35 (6) | *Tishreen University Journal for Research and Scientific Studies, Biological Sciences Series* | Influence of temperature, pH, light, and media in the growth of *Colletotrichum gloeosporioides* causing anthracnose disease of citrus fruit | 51 |
| Lenoir J, Gallet-Moron E, Jamoneau A, Brunet J, Cousins SA, et al | **Wasof S** | دكتوراه | 1130–40 | 2013 | 22 (10) | *Global Ecology and Biogeography* | Ecological niche shifts of understorey plants along a latitudinal gradient of temperate forests in north-western Europ https://onlinelibrary.wiley.com/doi/10.1111/geb.12073 | 52 |

| | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| Lenoir J, Aarrestad PA, Alsos IG, Armbruster WS, Austrheim G, et al | **Wasof S** | دکتوراه | 1401–12 | 2015 | 24 (12) | *Global Ecology And Biogeography* | Disjunct populations of European vascular plant species keep the same climatic niches https://onlinelibrary.wiley.com/doi/10.1111/geb.12375 | 53 |
| **Wasof S**, Decocq G | Closset-Kopp D | دکتوراه | 152–9. | 2016 | 201 | *Biological Conservation* | Using process-based indicator species to evaluate ecological corridors in fragmented landscapes https://www.sciencedirect.com/science/article/abs/pii/S0006320716302543 | 54 |
| **Wasof S**, Demey A, Schelfhout S, De Schrijver A, Baeten L, et al | Van Daele F | مستقل | 594–607. | 2017 | 20 (4) | *Applied Vegetation Science* | Quantifying establishment limitations during the ecological restoration of species-rich Nardus grassland https://onlinelibrary.wiley.com/doi/abs/10.1111/avsc.12330 | 55 |
| Lenoir J, Hattab T, Jamoneau A, Gallet-Moron E, Ampoorter E, et al. | **Wasof S** | دکتوراه | 521–31 | 2018 | 29 (3) | *Journal of Vegetation Science* | Dominance of individual plant species is more important than diversity in explaining plant biomass in the forest understorey https://onlinelibrary.wiley.com/doi/abs/10.1111/jvs.12624 | 56 |
| Verheyen K, Props R, **Wasof S**, Vanhellemont M, Boeckx P, et al. | Ma S | مستقل | 1293–303 | 2018 | 32 (5) | *Functional Ecology* | Plant and soil microbe responses to light, warming and nitrogen addition in a temperate forest https://besjournals.onlinelibrary.wiley.com/doi/10.1111/1365-2435.13061 | 57 |
| **Wasof S**, Van de Weghe T, Hermy M, Bonte D, Verheyen K | De Smedt P | مستقل | 131:47–54 | 2018 | ---- | *Applied Soil Ecology* | Macro-detritivore identity and biomass along with moisture availability control forest leaf litter breakdown in a field experiment https://www.sciencedirect.com/science/article/abs/pii/S0929139318302816 | 58 |

| | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| De Schrijver A, Schelfhout S, Perring M, Remy E, Mertens J, et al | **Wasof S** | مستقل | 289–304 | 2019 | 434 (1-2) | *Plant and Soil* | Linkages between aboveground and belowground community compositions in grasslands along a historical land-use intensity gradient. https://link.springer.com/article/10.1007/s11104-018-3855-7 | 59 |
| De Frenne P, **Wasof S**, Brunet J, Cousins SA, Decocq G, et al | Ma S | مستقل | 677–87 | 2019 | 21 (4) | *Plant Biology.* | Plant-soil feedbacks of forest understorey plants transplanted in nonlocal soils along a latitudinal gradient. https://onlinelibrary.wiley.com/doi/abs/10.1111/plb.12960 | 60 |
| De Schrijver A, Vanhellemont M, Vangansbeke P, **Wasof S,** Perring M, et al | Schelfhout S | مستقل | 233–246 | 2019 | 440 (1-2) | *Plant and Soil* | Phytomining to re-establish phosphorus-poor soil conditions for nature restoration on former agricultural land https://link.springer.com/article/10.1007/s11104-019-04049-2 | 61 |
| De Lombaerde E, Perring M, Hertzog L, Ampoorter E, Maes S, **Wasof S**, et al | Landuyt D | مستقل | 3625–41 | 2019 | 25 (11) | *Global Change Biology* | The functional role of temperate forest understorey vegetation in a changing world https://onlinelibrary.wiley.com/doi/abs/10.1111/gcb.14756 | 62 |
| De Frenne P, Vanhellemont M, **Wasof S**, Boeckx P, Brunet J, et al | Ma S, | مستقل | 34–44 | 2019 | 36 | *Basic and Applied Ecology* | Local soil characteristics determine the microbial communities under forest understorey plants along a latitudinal gradient https://www.sciencedirect.com/science/article/abs/pii/S1439179118302160 | 63 |
| , Lenoir J, Jamoneau A, Tarek H, **Wasof S**, Gallet-Moron E, et al. | Almoussawi A | مستقل | 63–74. | 2020 | 31 (1) | *Journal of Vegetation Science* | Forest fragmentation shapes the alpha-gamma relationship in plant diversity | 64 |

| | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| Ampoorter E, Bastias C, Benavides R, Müller S, Scherer-Lorenzen M, **Wasof S**, et al | Landuyt D | مستقل | --------- | 2020 | 7 | *Forest Ecosystems* | Importance of overstorey attributes for understorey litter production and nutrient cycling in European forests https://onlinelibrary.wiley.com/doi/abs/10.1111/jvs.12817 | 65 |
| De Frenne P, Hertzog L, Blondeel H, Depauw L, Maes S, **Wasof S**, et al | Perring M | مستقل | 550–557 | 2020 | 18 (10) | *Frontiers In Ecology and The Environment.* | Increasing liana frequency in temperate European forest understories is driven by ivy https://esajournals.onlinelibrary.wiley.com/doi/abs/10.1002/fee.2266?af=R&utm_source=researcher_app&utm_medium=referral&utm_campaign=RESR_MRKT_Researcher_inbound&sid=researcher | 66 |
| **Wasof S**, Mertens J, Vanhellemont M, Demey A, Haegeman A, et al | Schelfhout S | مستقل | 120 | 2021 | ---- | *Ecological Indicator* | Effects of bioavailable phosphorus and soil biota on typical Nardus grassland species in competition with fast-growing plant species https://research.wur.nl/en/publications/effects-of-bioavailable-phosphorus-and-soil-biota-on-typical-nard | 67 |
| De Schrijver A, Schelfhout S, **Wasof S**, Vanhellemont M, Moeneclaey I, et al. | DeCock E | مستقل | --------- | 2021 | 24 (3) | *Applied Vegetation Science.* | Win some, lose some : mesocosm communities maintain community productivity despite lower phosphorus availability because of increased species diversity https://onlinelibrary.wiley.com/doi/abs/10.1111/avsc.12599 | 68 |
| De Frenne P, Hertzog LR, Blondeel H, Depauw L, Maes S, **Wasof S**, et al | Perring M | مستقل | 377–8. | 2021 | 19 (7) | *Frontiers In Ecology And The Environment* | “Lianification” or liana invasion : is there a difference? https://esajournals.onlinelibrary.wiley.com/doi/abs/10.1002/fee.2393 | 69 |

| | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| De Frenne P, Kepfer-Rojas S, **Wasof S**, Vander Mijnsbrugge K, Verheyen K | Dewan S | مستقل | -------- | 2021 | ----- | *Ecoevorxiv* | Weak but persistent provenance effects modulate the response of *Quercus robur* (Fagaceae) seedlings to elevated temperature https://ecoevorxiv.org/repository/view/4114/ | 70 |
| De Lombaerde E, Gholizadeh H, **Wasof S**, Perring MP, Meeussen C, et al. | Naqinezhad A | مستقل | 1103–1118 | 2022 | 28 (3) | *Global Change Biology* | The combined effects of climate and canopy cover changes on understorey plants of the Hyrcanian forest biodiversity hotspot in northern Iran https://onlinelibrary.wiley.com/doi/abs/10.1111/gcb.15946 | 71 |
| Pandey, R., Sathee, L. *et al* | **Mahmoud, D** | دكتوراه | 200 - 215 | 2020 | 25 | *Plant Physiol. Rep* | Regulation of expression of genes associated with nitrate response by osmotic stress and combined osmotic and nitrogen deficiency stress in bread wheat (*Triticum aestivum* L.) https://doi.org/10.1007/s40502-020-00503-x | 72 |
| Livieratos I, Stamatakis A, Tsirogiannis I, Gizas G., Savvas D | **Al Naddaf O** | مستقل | 135 - 141 | 2010 | 129 (1) | *Scientia horticulturae.* | Hydraulic characteristics of composted pig manure, perlite, and mixtures of them, and their impact on cucumber grown on bags https://www.sciencedirect.com/science/article/abs/pii/S0304423811001312 | 73 |
| Obaid H. , Mohsen W. | **Al Naddaf O** | دكتوراه | 27 | 2019 | 41 | *Journal of Al Baath University* | In vitro Evaluation of Germination Parameters of Some Tomato Local Lines | 74 |
| Obaid H. , Mohsen W | **Al Naddaf O** | دكتوراه | 22 | 2019 | 41 | *Journal of Al Baath University* | In vitro evaluation of the tolerance of some local tomato lines to drought stress induced by PEG | 75 |
| Obaid H. , Mohsen W | **Al Naddaf O** | دكتوراه | ---------- | 2020 | ------ | *Arab Journal of Arid Environments* | Callus induction and regeneration responses of four local tomato inbred-lines (Lycopersicon esculantum) | 76 |
| G. Ibrahim and A. Almouemar. | **Alewi. Y** | ماجستير | ------ | 2016 | -- | *Damascus University Journal for Agricultural Sciences* | Survey of insect species associated with thistle *Carduus* spp in al Swayda and Damascus countryside- Syria. | 77 |

| | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| G. Ibrahim and A. Almouemar. | **Alewi, Y** | دكتوراه | 111-133 | 2018 | 40 (2) | *Al-Baath University Journal -Series of agricultural sciences and biotechnology* | Systemic study of the genus *Carduus* (Asteraceae) in some areas of Alswyada and Damascus countryside and their associated plants | 78 |
| G. Ibrahim and A. Almouemar. | **Alewi. Y** | دكتوراه | ------- | 2018 | --- | *Journal of al Baath University* | Systemic study of the genus *Onopordum* (Asteraceae) in South of Syria | 79 |
| G. Ibrahim and A. Almouemar. | **Alewi, Y** | دكتوراه | ——— | 2018 | —— | *Arab Journal for Arid Environments.* | Antifungal activity of *Onopordum alexandrinum* on some fungi species | 80 |
| G. Ibrahim and A. Almouemar | **Alewi, Y** | دكتوراه | 1 – 5 | 2019 | 49 (1) | *European and Mediterranean Plant Protection Organization* | Phytophagous insect fauna of *Onopordum* spp. Thistles in the south of Syria https://doi.org/10.1111/epp.12520 | 81 |
| K. Abo Jahjah, M. Abo Ein and W. Alsayed. | **Alewi, Y** | مستقل | 330-341 | 2022 | 9 (1) | *Syrian Journal of Agricultural Research.* | Survey and classification of the wild plants in tal Shihan, Alswayda, Syria https://agri-research-journal.net/?p=5575 | 82 |
| ---------- | **Alewi, Y** | مستقل | 185-198 | 2023 | 39 (4) | *Damascus University Journal for Agricultural Sciences* | The allelopathical effects of *Sinapis arvensis* L. mustard powder in coriander weed | 83 |
| D. Almelhem and S. Shardah | **Alewi, Y** | مستقل | ---------- | 2023 | 39 (1) | *Damascus University Journal for Agricultural Sciences* | Study of the plant biodiversity at Najran village, Al-Swayda governorate, Syria https://journal.damascusuniversity.edu.sy/index.php/agrj/article/view/8588 | 84 |
| Rema Al-Shoufy, Douha Azzam and Farah Abo-Khair. | **Alewi, Y.,** | مستقل | _____ | 2024 | 11 (6) | *Syrian Journal of Agricultural research* | Economic feasibility and productivity study of white wormwood *Artemisia herba-alba* Asso with lentils *Lens culinaris* Medik in the monoculture and intercropping system | 85 |
| M. Muchal, K. Al-Bakour, D. Almoussa, R. Kenaan and **Al-Samman, B.** | Maysoun S. | مستقل | 77 - 92 | 2018 | 23 (2-1) | *Libyan Journal of Agricultural Research* | Principle Component Analysis PCA and Correlation and Path Coefficients in Wild Wheat *Aegilops*. https://www.ljagric.uot.edu.ly/lj/index.php/ljagric/article/view/101/106 | 86 |
| A. Abo-zakham and A. Al-taher | **Al-Samman B**. | دكتوراه | 1 - 13 | 2012 | 7 (1) | *. J. Biol. Chem. Environ. Sci* | Optimizing DNA Extraction Protocol from Dried Leaves of *Atriplex* Species | 87 |

| | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| Dönmez1, Y. Wajhani and **B. Alsamman** | Ali A | مستقل | 307-309 | 2010 | 38 (4) | *Hacettepe Journal of Biology and Chemistry* | A New Record of *Nigella* L. (*Ranunculaceae*) for Flora Syria https://hjbc.hacettepe.edu.tr/site/assets/files/2775/38_4_307-309.pdf | 88 |
| Y. Wajhani, Z.Alsayed Suliman, **B. Al-Samman**, et al. | Maysoun S. | مستقل | -------- | 2017 | ----- | *Arab Journal for Arid Environments.* | Evaluation the Grain Yield and Its Components for some Durum Wheat (*Triticum durum*) Genotypes under Different Locations | 89 |
| A. Abo-Zakham and Y. Wajhani | **Al-Samman B** | مستقل | 90-105 | 2017 | 4 (2) | *Syrian Journal of Agricultural Research.* | A taxonomic study of genus *Atriplex* L. in Syrian flora https://agri-research-journal.net/SjarEn/wp-content/uploads/v4no2p7.pdf | 90 |
| Y. Wajhani, M. Cheikh-Al basatneh and W. Al Yousef | **Al-Samman B.** | مستقل | 21 - 31 | 2015 | 2 (1) | *Syrian Journal of Agricultural Research.* | Evaluation of Some *Atriplex* Accessions under Salt Stress Conditions and Molecular Characterization for them Using ISSR Technique. https://agri-research-journal.net/sjar/wp-content/uploads/p13.pdf | 91 |
| Yousef Wajhani. | **Al-samman B** | مستقل | 22 | 2014 | | *Proceedings of 10th scientific congress of GCSAR, Damascus, Syria, 27-28 Apr* | A New Record of *Atriplex* L. (*Chenopodiacea*) For Flora Syria http://gcsar.gov.sy/scientificactivities/confworkshops/conf10/ | 92 |
| ---------- | **Al-samman, B.** | دكتوراه | 117 | 2011 | | *Proceedings of 9th scientific congress of GCSAR , Damascus, Syria, 27-28 Feb* | Characterization and Evaluation of Some Species of Genus *Atriplex* According to Salinity Stressed Conditions http://gcsar.gov.sy/scientificactivities/confworkshops/conf9/ | 93 |
| A. Abo-Zakham and A. Al-Taher. | **Al-SammanB.** | دكتوراه | 299-314. | 2013 | 29 (1) | *Damascus University Journal for Agricultural Sciences* | Molecular characterization of some *Atriplex* species in Syria https://damascusuniversity.edu.sy/mag/farm/images/stories/299-314.pdf | 94 |
| A. Abo-zakham, A. Al-Taher and H. Al-Mifshi | **Al-Samman B.** | دكتوراه | ---------- | 2012 | ----- | *University Bulletin* | Characterization of some Nutritive Value Parameters of *Atriplex* Species. | 95 |
| A. Al-Taher and **B. Al-samman** | A. Abo-Zakham | دكتوراه | ---------- | 2012 | 97 | *Research Journal of Aleppo University* | Genetic Diversity Characterization of Genus *Atriplex* Using ISSR Markers | 96 |

| | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| Y. Wajhani, M. Ali and **B. Al-samman** | W. Rida | مستقل | ---------- | 2012 | ------ | *University Bulletin* | Study of Genetic Diversity of Some Local and Wild Relative Syrian Wheat Using RAPD | 97 |
| A. Abo-Zakham and A. Al-taher | **Al-Samman, B** | دكتوراه | ---------- | 2013 | ------ | *University Bulletin* | Characterization of some Chemical Components of *Atriplex* Species | 98 |
| Couvillon, M.J., Ratnieks, F.L.W., & Grüter, C | **Al Toufailia,** H. | ماجستير | 549-556 | 2013 | 67 (4) | *Behavioral Ecology and Sociobiology*, | Honey bee waggle dance communication: signal meaning and signal noise affect dance follower behaviour https://link.springer.com/article/10.1007/s00265-012-1474-5 | 99 |
| Grüter, C., & Ratnieks, F.L.W | **Al Toufailia**, H | ماجستير | 1096-1106 | 2013 | 119 (12) | *Ethology* | Persistence to unrewarding feeding locations by honeybee foragers (*Apis mellifera*): the effects of experience, resource profitability and season https://onlinelibrary.wiley.com/doi/abs/10.1111/eth.12170 | 100 |
| Ratnieks, F. L. W | **Al Toufailia**, H. | دكتوراه | 7 - 11 | 2016 | 98 (2) | *Bee Craft* | How effective is Apistan® at killing varroa? Results from a LASI trial | 101 |
| Scandian, L., & Ratnieks, F. L. W | **Al Toufailia**, H. | دكتوراه | 108-120 | 2016 | 54 (2) | *Journal of Apicultural Research* | Towards integrated control of varroa: 2) comparing application methods and doses of oxalic acid on the mortality of phoretic *Varroa destructor* mites and their honey bee hosts https://www.tandfonline.com/doi/full/10.1080/00218839.2015.1106777 | 102 |
| Scandian, L., & Ratnieks, F. L. W | **Al Toufailia**, H. | دكتوراه | 438-443 | 2018 | 57 (3) | *Journal of Apicultural Research* | Towards integrated control of varroa: varroa mortality from treating broodless winter colonies twice with oxalic acid via sublimation https://www.tandfonline.com/doi/abs/10.1080/00218839.2018.1454035 | 103 |
| Scandian, L., & Ratnieks, F. L. W | **Al Toufailia**, H | دكتوراه | 433-437 | 2018 | 57 (3) | *Journal of Apicultural Research* | Towards integrated control of varroa: Efficacy of early spring trapping in drone brood https://www.tandfonline.com/doi/abs/10.1080/00218839.2018.1454292?tab=permissions&scroll=top&role=tab | 104 |

| | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| Scandian, L., & Ratnieks, F. L. W. | **Al Toufailia** | دكتوراه | 444-451 | 2018 | 57 (3) | *Journal of Apicultural Research*: | Towards integrated control of varroa: Monitoring honey bee brood rearing in winter and the proportion of varroa in small patches of sealed cells. https://www.tandfonline.com/doi/full/10.1080/00218839.2018.1460907 | 105 |
| M., Amiri, E., Scandian, L., Kryger, P., & Ratnieks, F. L. W. | **Al Toufailia**, H | دكتوراه | 555-562. | 2014 | 53 (5) | *Journal of Apicultural Research* | Towards integrated control of varroa: effect of variation in hygienic behaviour among honey bee colonies on mite population increase and deformed wing virus incidence https://www.tandfonline.com/doi/abs/10.3896/IBRA.1.53.5.10 | 106 |
| Evison, S. E. F., Hughes, W. O. H., & Ratnieks, F. L. W. | **Al Toufailia**, H. | دكتوراه | 1 – 6 | 2018 | | *Philosophical Transactions of the Royal Society B* | Removal of dead and diseased brood from open cells by non-hygienic honey bee colonies supports the “leave sealed in” hypothesis for the rarity of hygienic behaviour. https://royalsocietypublishing.org/doi/10.1098/rstb.2017.0201 | 107 |
| Alves, D.A., Benᡠ, D.de C., Bento, J.M.S., Iwanicki, N.S.A., Cline, A.R., Ellis, J.D., & Ratnieks, F.L.W | **Al Toufailia**, H | مستقل | 76-80 | 2017 | 56 (1) | *Journal of Apicultural Research* | First Record of Small Hive Beetle, *Aethina tumida* Murray, in South America https://www.tandfonline.com/doi/full/10.1080/00218839.2017.1284476 | 108 |
| Alves, D.A., Bento, J.M.S., Marchini, L.C., Ratnieks, F.L.W | **Al Toufailia**, H. | دكتوراه | 1712-1718 | 2016 | 5 (11) | *Biology Open*, | Hygienic behaviour in Brazilian stingless bees https://journals.biologists.com/bio/article/5/11/1712/1677/Hygienic-behaviour-in-Brazilian-stingless-bees | 109 |
| **Al Toufailia**, H., Scandian, L., Blanchard, H.E., Carreck, N.L., Ratnieks, F.L.W. | Balfour, N.J. | مستقل | 10825-10833 | 2016 | 51 (18) | *Environmental Science & Technology* | Effects of Foraging on Neonicotinoid-Treated Oilseed Rape on Honey Bee Colony Performance and Survival | 110 |

| | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| **Al Toufailia**, H., Ratnieks, F.W.L | Bigio, G | مستقل | 226 - 230 | 2014 | 27 (1) | *Journal of Evolutionary Biology*, | Honey bee hygienic behaviour does not incur a cost via removal of healthy brood https://pubmed.ncbi.nlm.nih.gov/24330477/ | 111 |
| **Al Toufailia**, H., Hughes, W.O., Ratnieks, F.W.L | Bigio, G | مستقل | 563-568 | 2014 | 53 (5) | *Journal of Apicultural Research*, | The effect of one generation of controlled mating on the expression of hygienic behaviour in honey bees https://www.tandfonline.com/doi/abs/10.3896/IBRA.1.53.5.07 | 112 |
| **Al Toufailia**, H., Butterfield, T. M., Schrell, F., Ratnieks, F. W. L., Schürch, R. | Couvillon, M. J. | مستقل | 2815-2818. | 2015 | 25 (21) | *Current Biology* | Caffeinated Forage Tricks Honeybees into Increasing Foraging and Recruitment Behaviors https://www.sciencedirect.com/science/article/pii/S0960982215010544 | 113 |
| **Al Toufailia**, H., Balfour, N.J., Nascimento, , et al. | Shackleton, K | مستقل | 273-281 | 2015 | 69 (2) | *Behavioral ecology and socio-biology* | Appetite for self-destruction: suicidal biting as a nest defense strategy in *Trigona* stingless bees | 114 |
| Balfour, N.J., **Al Toufailia**, H., Gaioski, Jr.R., Barbosa, M., Silva, C., Sujimoto, et al. | Shackleton, K | مستقل | 7156-7165 | 2016 | 6 (19) | *Ecology and Evolution* | Quality versus quantity: Foraging decisions in the honeybee (*Apis mellifera scutellata*) feeding on wildflower nectar and fruit juice https://onlinelibrary.wiley.com/doi/full/10.1002/ece3.2478 | 115 |
| Scandian, L., & **Al Toufailia**, H | Ratnieks, F.L.W | مستقل | 11- 15 | 2016 | ---- | *Bee Farmer* | Using oxalic acid to kill varroa | 116 |
| **Al Toufailia**, H | Ratnieks, F. L. W., | مستقل | ---------- | 2016 | 27 | *LBKA News* | How to apply oxalic acid via sublimation to control varroa | 117 |
| Alton, K.L., Bigio, G., Scandian, L., **Al Toufailia**, H., & Ratnieks, F.L.W. | Carreck, N.L | مستقل | 15 - 16 | | 209 | *British Beekeepers Association News* | University of Sussex hygienic bees research project update https://www.researchgate.net/publication/280036840_University_of_Sussex_hygienic_bees_research_project_update | 118 |
| Balfour,N., Shackleton, K., **Al Toufailia, H**., Scandian, L., Ratnieks, F. | Garbuzov, M | مستقل | 532 - 542 | 2020 | 13 (6) | *Insect Conservation and Diversity* | Multiple methods of assessing nectar foraging conditions indicate peak foraging difficulty in late season https://resjournals.onlinelibrary.wiley.com/doi/10.1111/icad.12420 | 119 |

| | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| Scandian, L., **Al Toufailia, H.** | Ratnieks, F.L.W | مستقل | 35-40 | 2016 | ------ | *Bee Culture* | Sublimation: the best way to kill varroa with oxalic acid | 120 |
| Balfour,N., **Al Toufailia, H**., Hames, E., Ratnieks, F. | Shackleton, K | مستقل | 11-19 | 2023 | 198 | *Animal Behaviour* | Honey bee waggle dance facilitate shorter foraging distances and increased foraging aggregation https://www.sciencedirect.com/science/article/pii/S000334722300009X | 121 |
| **Al Toufailia, H**. | Ratnieks, F.L.W | مستقل | 13-15 | 2016 | 1 | *Bee Farmer* | Comparing the effectiveness of different control methods against varroa | 122 |
| Fruciano, C., Hildebrand, F., **Al Toufailia, H**., Balfou, N.J. et al. | Jones, C.J. | مستقل | 441-451 | 2018 | 8 (1) | *Ecology and Evolution* | Gut microbiota composition is associated with environmental landscape honey bees https://onlinelibrary.wiley.com/doi/10.1002/ece3.3597 | 123 |
| Balfour, N.J., **Al Toufailia, H.,** D.A. Alves, J.M. Bento, F.L.W. Ratnieks | Shackleton, K., | مستقل | 471-477 | 2019 | 66 | *Insectes Sociaus* | Unique nest entrance structure of *Partamona helleri* stingless bees leads to remarkable “crash-landing” behavior https://link.springer.com/article/10.1007/s00040-019-00709-9 | 124 |
| Geraldine Maynaud, Antoine Le Quéré, Céline Vidal, et al.. | **R.Mohamad** | دكتوراه | 1735-16 | 2017 | 83 (2) | *Applied and environmental microbiology,* | Ancient heavy metal contamination in soil as a driver of tolerant *Anthyllis vulneraria* rhizobial communities https://journals.asm.org/doi/10.1128/aem.01735-16 | 125 |
| Anne Willems, Antoine Le Quéré, Géraldine Maynaud, Marjorie Pervent, et al. | **R.Mohamad** | دكتوراه | 135-143 | 2017 | 40 (3) | *Anthyllis vulneraria. Systematic and applied microbiology* | *Mesorhizobium delmotii* and *Mesorhizobium prunaredense* are two new rhizobial species within the symbiovar anthyllidis nodulating the legume *Anthyllis vulneraria* https://pubmed.ncbi.nlm.nih.gov/28238475/ | 126 |
| Zakaria Al- naser | **R.Mohamad** | مستقل | 111-117 | 2018 | 1 | *Arab Journal for Arid Environments* | Effect of pesticides and essential oils in the growth of rhizobial isolated from nodules of some leguminous plants in vitro | 127 |
| Faisal Hamed, Bayan Muzher | **R. Radwan** | (10) 8 | 255-360 | 2015 | 8 (10) | *International Journal of ChemTech Reasearch* | Maturity time of some local and introduced pear cultivars in Sweida governorate depending on some environmental, physical and chemical characters https://sphinxsai.com/2015/ch_vol8_no10/2/(355-360)V8N10CT.pdf | 128 |

| | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| Faisal Hamed, Bayan Muzher | **R. Radwan** | ماجستير | -------- | 2016 | 38 (13) | *Al-Baath University Journal -Series of agricultural sciences and biotechnology* | Evaluation of fertility and some growth and bearing characters in some introduced pear cultivars in Sweida governorate https://shamra-academia.com/en/show/5a070e9ee63b0 | 129 |
| Faisal Hamed, Bayan Muzher | **R. Radwa** | ماجستير | --------- | 2019 | 41 (32) | *Al-Baath University Journal -Series of agricultural sciences and biotechnology* | Effect of potassium fertilization and foliar spray with boron and zinc in fruit set, yield, physical and chemical characters of pear fruit cultivar "Red Coscia" | 130 |
| Faisal Hamed, Bayan Muzher | **R. Radwa** | دكتوراه | ---------- | 2019 | 41 | *Al-Baath University Journal -Series of agricultural sciences and biotechnology* | Effect of chilling period, potassium fertilization and foliar spray with boron and zinc on flowering of pear tree cultivar " Coscia" | 131 |
| Faisal Hamed, Bayan Muzher | **R. Radwa** | دكتوراه | ---------- | 2020 | 42 (6) | *Al-Baath University Journal -Series of agricultural sciences and biotechnology* | Effect of potassium fertilization and foliar spray with boron and zinc in pollen grains viability, fruit set and productivity of pear fruit cultivar "Conference" | 132 |
| A. Azizieh and R. Tlay | **M. Hatoom** | ماجستير | ---------- | 2022 | 38 (1) | *Damascus University Journal of agriculture science* | Effect of Addition of Maltodextrin as Assistant Drying agent on Quality Indicators of Peach Pulp Powder https://journal.damascusuniversity.edu.sy/index.php/agrj/article/view/3827 | 133 |
| R. Tlay | **M. Hatoom** | ماجستير | ---------- | 2022 | 38 (2) | *Damascus University Journal of agriculture science* | Studying Some Quality Indicators of Pear Puree Powder Drying by Hot Air https://journal.damascusuniversity.edu.sy/index.php/agrj/article/view/4810 | 134 |
| A. Azizieh and R. Tlay | **M. Hatoom** | دكتوراه | ---------- | 2022 | 38 (4) | *Damascus University Journal of agriculture science* | Studying the Effect of Adding Different Ratios of Maltodextrin on the Quality Indicators of Hot Air Dried Orange Juice Powder https://journal.damascusuniversity.edu.sy/index.php/agrj/article/view/7389 | 135 |
| Abed Alhakim Fahd Azizieh and Rawaa Houry Tlay | **M. Hatoom** | دكتوراه | 23-38 | 2023 | 10 (1) | *Syrian Journal of Agricultural Research (SJAR)* | Studying the Effect of Adding Maltodextrin at different concentration on quality indicators of concentrated orange juice powder processed by Lyophilization https://agri-research-journal.net/SjarEn/?p=6180 | 136 |

| | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| I.D. Ismail. | **Shami, R** | ماجستسر | 170 - 157 | 2013 | 2 (35) | *Tishreen University Journal for Agricultural Sciences* | The Effect of Infection by PVY and CMV Viruses on Tomato Plants Growth (Greenhouse) https://journal.tishreen.edu.sy/index.php/biosc nc/article/view/113 | 137 |
| I.D. Ismail | **Shami, R..** | ماجستير | 119-124. | 2014 | 32 (2) | *Arab Journal of Plant Protection* | The effect of single and mixed infections of Potato virus Y and Cucumber mosaic virus on yield components of tomato plants https://arabjournalpp.org/wp-content/uploads/2021/04/119-124.pdf | 138 |
| lmad Ismail and Yaser HAmmad | **Shami, R.** | دكتوراه | 86 - 73 | 2017 | 39 (3) | *Tishreen University Journal for Agricultural Sciences* | The Effect of Some Spices of Plant Growth Promoting Rhizobacteria (PGPR) on Disease Severity and Reduction of Virus Infection of *Cucumber mosaic virus* (CMV) on Tomato Plant under Greenhouse Conditions. https://journal.tishreen.edu.sy/index.php/biosc nc/article/view/3892/3675 | 139 |
| **Shami, R.M.** | Hammad, Yaser | مستقل | | 2017 | 39 | *Al-Baath University Journal -Series of agricultural sciences and biotechnology* | Identification some spices of Plant Growth Promoting Rhizobacteria from some Biofertilizer and Soils. | 140 |
| lmad Ismail and Yaser HAmmad | **Al Shami, R** | دكتوراه | 139-144 | 2017 | 35 (3) | *Arab Journal of Plant Protection* | Effect of some Rhizobacteria species on phenol contents and photosynthesis pigments in tomato plants inoculated with Cucumber mosaic virus (CMV) https://arabjournalpp.org/wp-content/uploads/2021/04/Vol35-3_139-144.pdf | 141 |
| lmad Ismail and Yaser HAmmad | **Al Shami, R.** | دكتوراه | 11 - 16 | 2017 | 4 (5) | *International Journal of Agriculture &Environmental Science* | Effect of Three Species of Rhizobacteria (PGPR) in Stimulating Systemic Resistance on Tomato Plants Against Cucumber Mosaic Virus (CMV) https://www.internationaljournalssrg.org/IJAE S/2017/Volume4-Issue6/IJAES-V4I6P103.pdf | 142 |
| lmad Ismail and Yaser HAmmad | **Al Shami, R.M** | دكتوراه | | 2019 | 12 (1-2) | *Arab Journal for Arid Environments* | Effect of Rhizobacteria (PGPR) Reducing in Disease Severity and Stimulating Systemic Resistance against *Cucumber Mosaic Virus* (CMV) in Tomato Plants | 143 |

| | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| lmad Ismail and Yaser HAmmad | **Al Shami, R.M** | دكتوراه | | 2017 | 39 (22) | *Al-Baath University Journal -Series of agricultural sciences and biotechnology* | Evaluation the Effectiveness the Inoculation with Plant Growth Promoting Rhizobacteria on Reduction of Virus Effect for *Cucumber Mosaic Virus* on Some Growth Parameters Tomato Plants | 144 |
| lmad Ismail and Yaser HAmmad | **Al Shami, R.** | دكتوراه | 227-239 | 2018 | 5 (4) | *Syrian Journal of Agricultural Research* | Effect of Three Species of Rhizobacteria (PGPR) in of Stimulating Systemic Resistance Against Cucumber Mosaic Virus (CMV) of Tomato Plants https://agri-research-journal.net/SjarEn/?p=1664 | 145 |
| **G. Barsa** | S.Agha | ماجستير | ــــــــ | 2012 | 99 | *Aleppo University Research Journal - Agricultural Sciences Series* | The effect of intensive care method on the characteristics of live weight and daily weight gain in male and female domestic rabbits | 146 |
| R. Al-Issa | **G. Barsa** | ماجستير | ــــــــ | 2012 | 98 | *Aleppo University Research Journal - Agricultural Sciences Series* | The effect of adding acetic acid on the productive performance of broiler chickens | 147 |
| **G. Barsa** | S.Agha | مستقل | ــــــــ | 2007 | 64 | *Aleppo University Research Journal - Agricultural Sciences Series* | The effect of using local sunflower seed meal in the feed mixture for laying hens on production parameters and specifications of the resulting eggs. | 148 |
| **G. Barsa** | S.Agha | مستقل | ــــــــ | 2006 | 57 | *Aleppo University Research Journal - Agricultural Sciences Series* | The effect of using different levels of Nigella sativa seeds on the productive performance of broiler chickens | 149 |
| ــــــــــــــ | **G. Barsa** | مستقل | ــــــــ | 2005 | 52 | *Aleppo University Research Journal - Agricultural Sciences Series* | Studying the effect of using local sunflower meal instead of soybean meal in feeding laying hens on productive traits and egg quality | 150 |
| **G. Barsa** | S.Agha | مستقل | ــــــــ | 2003 | 44 | *Aleppo University Research Journal - Agricultural Sciences Series* | Studying the possibility of using fodder beans in feeding broilers and its impact on production parameters | 151 |

| | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| **G. Barsa** | S.Agha | مستقل | ــــــــ | 2000 | 36 | *Aleppo University Research Journal - Agricultural Sciences Series* | Studying the possibility of using local sunflower meal in feeding broilers | 152 |
| **G. Barsa** | A. M. Hamra | مستقل | ــــــــ | 1999 | 34 | *Aleppo University Research Journal - Agricultural Sciences Series* | The effect of feed quality on skeletal growth and development in broilers | 153 |
| **G. Barsa** | A. M. Hamra | مستقل | ــــــــ | 1995 | ــــ | *Aleppo University Research Journal - Agricultural Sciences Series* | Studying the effect of introducing peeled cotton meal instead of soybean meal into broiler diets on the growth and development of carcass components | 154 |
| **G. Barsa** | A. M. Hamra | مستقل | ــــــــ | 1993 | ــــ | *Aleppo University Research Journal - Agricultural Sciences Series* | The effect of introducing cotton meal into broiler diets on increasing the live weight of birds | 155 |
| ..... | **K. Al-Ali** | دكتوراه | ــــــــ | 1994 | ــــ | *Journal of Agriculture of Uzbekistan* | The effectiveness of disinfecting planted seeds against bacterial spot disease within high-yield cotton cultivation technology | 156 |
| ــــــــــــــــ | **K. Al-Ali** | دكتوراه | ــــــــ | 1994 | ــــ | *Journal of Agriculture of Uzbekistan* | The future of cotton cultivation | 157 |
| M. Al-Mikdad | **K. Al-Ali** | مستقل | 23-28 | 2010 | 2 (1) | *Egyptian Journal of Agricultural Economics* | The effect of the olive fruit fly on the productive and economic efficiency of olive farms in Daraa Governorate in Syria | 158 |
| M. Al-Mikdad | **K. Al-Ali** | مستقل | 15 - 22 | 2010 | 2 (1) | *Egyptian Journal of Agricultural Economics* | Capacity economics of tomato farms in Daraa Governorate, Syria | 159 |
| M. Al-Mikdad | **K. Al-Ali** | مستقل | 29 - 34 | 2010 | 2 (1) | *Egyptian Journal of Agricultural Economics* | The effect of powdery mildew on the productive and economic efficiency of grape farms in Daraa Governorate in Syria | 160 |
| Alkassis W., Asslan L | **Zgheb E** | ماجستير | - | 2011 | - | *Damascus University Journal For Agricultural Sciences* | Determination of the Genetic relationship of *Cerambyx dux* F. attacking fruit trees in southern and middle regions in Syria | 161 |

| | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| Alkassis W<br>Asslan L | **Zgheb E** | ماجستير | 215-224 | 2012 | (1)7 | *journal of Biological Chemistry & Environmental Sciences* | Laboratory Study on The Life Cycle Of the Long Horned Beetle, Cerambyx dux. F | 162 |
| Alkassis W<br>Asslan L | **Zgheb E** | ماجستير | - | 2013 | - | *The Arab Journal for Arid Environments* | Study of The Life Cycle of *Cerambyx dux.* F Attacking Fruit Trees in Southern and Middle Regions of Syria | 163 |
| Alkassis W<br>Lawand S | **Zgheb E** | دكتوراه | 97-79 | 2016 | 38<br>(1) | *Al-Baath University Journal- Series of Agricultural Sciences and biotechnology* | The adult behavior of longhorn beetle, *Cerambyx dux F*. (Cerambycidae، Coleoptera) | 164 |
| Alkassis W<br>Lawand S | **Zgheb E** | دكتوراه | - | 2017 | - | *The Arab Journal for Arid Environments* | Morphological Study of Cerambyx spp. Eggs Using the Scanning Electron Microscope | 165 |
| Alkassis W<br>Lawand S | **Zgheb E** | دكتوراه | - | 2017 | 28<br>(3) | *Damascus University Journal for Agricultural Sciences* | Evaluation of the Efficiency of some Insecticides in Controlling of Longhorn beetle Cerambyx dux F.(Cerambycidae, (Coleoptera | 166 |
| -------- | **Zgheb E** | مستقل | 9 -18 | 2019 | - | *The Arab Journal for Arid Environments* | Isolation and Identification of pathogenic fungi of longhorn beetle Cerambyx dux F and test their pathogenicity to larvae Pyralis Farinalis and c.dux | 167 |
| -------- | **Zgheb E** | مستقل | 208-189 | 2020 | 36<br>(2) | *Damascus University Journal for Agricultural Sciences* | Extraction of the pheromones from long-horned beetle borer Cerambyx dux (Cerambycidae, Coleoptera) | 168 |
| ------- | **Zgheb E** | مستقل | 172-153 | 2021 | 37<br>(2) | *Damascus University Journal for Agricultural Sciences* | Classification of the Cerambyx species that attack fruit trees in southern and middle regions of Syria by using scanning electron .(microscope (SEM | 169 |

| أبحاث قيد النشر | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| **Naffaa, W** and Mando, M.J. | Abo-Akel, S | ماجستير | --------- | 2023 | ---- | *Jordan Journal of Biological Sciences* | Testing the susceptibility of some potato cultivars to black scurf disease caused by *Rhizoctonia solani* Kühn | 1 |
| Al Naser, Z., **Naffaa, W** | Mustafa, A | ماجستير | --------- | 2023 | ----- | *Damascus University Journal for Agricultural Sciences* | Effect of organic extracts of some Lamiaceae plants in inhibiting growth of *Penicillium digitatum* and *P. italicum* fungi *in Vitro* | 2 |
| Atrash, F., **Naffaa, W** | Akeed, Y | دكتوراه | ---------- | ------ | ----- | *Damascus University Journal for Agricultural Sciences* | Optimization of chitinase production by the local strain *Bacillus licheniformis* B307 and its antifungal activity against *Botrytis cinerea* on tomato fruits in vitro | 3 |
| **Naffaa, W**. | Rasheed, A | ماجستير | ---------- | ------ | ------ | *Arab Journal for Arid Environments* | Isolation and identification of fungus causing the almond seedlings death in the nurseries in Sweida | 4 |
| **Naffaa, W**., Muzher, B | Al-Halabi, S | دكتوراه | ---------- | ------ | ------ | *Damascus University Journal for Agricultural Sciences* | Susceptibility of some grapevine varieties to dead arm disease caused by *Phomopsis viticola.* | 5 |
| **Naffaa W**., Azmeh, F | Hamzeh, S. | ماجستير | ---------- | ------ | ------ | *Journal of Plant Protection Research.* | Phylogenetic approach based on cultural morphological variations as a guideline to identify local isolates of *Ampelomyces quisqualis* from Syria. | 6 |
| **Naffaa, W**., Muzher, B | Al-Halabi, S. | دكتوراه | ---------- | ----- | ------ | *Arab Journal of Plant Protection*. | Occurrence of dead arm disease on grapevine caused by *Phomopsis viticola* in southern Syria and its correlation with climatic conditions | 7 |
| **Naffaa, W**. and Mouhanna, A, M | Mansour, H. A | ماجستير | ---------- | ------ | ------ | *Arab Journal of Plant Protection*. | Effectiveness evaluation of resistance inducers on some growth parameters of tobacco plants and their role in preventing downy mildew | 8 |
| **———————** | **Alewi, Y.** | مستقل | ---------- | ------ | ------ | | The allelopathical effects of wild mustard powder *Sinapis arvensis* L. weeds associated with spinachia *Spinacia oleracea* L. | 9 |

| | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| Shhabeddin A., Abo Saeb E. and Abo Assi A | **Al Naddaf O** | مستقل | ---------- | 2023 | ------ | *Jerash for Research and Studies Journal* | Anti- transpirants Impact on Pepper cultivated Under Different Drought Stress Levels | 10 |
| **Ghanem, U.** | **Kutiech, N.** | ماجستير | ---------- | ------ | ------ | *Damascus University Journal for Agricultural Sciences* | Efficiency of the payhogenic fungus *Beauveria bassiana* on the Vine Carpenter moth *Paropta Paradox*a H. S. (Cossidae:Lepidoptera). | 11 |
| Yakob, R., **Kutiech, N.** | Slika, R | ماجستير | ---------- | ------ | ------ | *Damascus University Journal for Agricultural Sciences* | Effect of spraying extracts of *Coriandrum sativum* on sunn insect (Eurygaster integriceps). | 12 |
| Zakaria Al- naser | **R. Mohamad** | | ---------- | ----- | ------ | *Arab Journal of Arid Environments* | Antagonistic effect of rhizobium bacteria on growth of some pathogenic fungi in vitro | 13 |
| A. Azizieh and R. Tlay | **M. Hatoom** | ماجستير | ---------- | ------ | ------ | *Arab Journal of Arid Environments* | Effect of Thermal Treatment Time on the Physical-Chemical Indicators and Active Biological Compounds of Apple Treacle During Processing | 14 |
| A. Azizieh and R. Tlay | **M. Hatoom** | دكتوراه | ---------- | ------ | ------ | *Damascus University Journal of agriculture science* | Study the Effect of Temperature Degree of Hot Air Drying on Quality Indicators of Concentrated Orange Juice Powder | 15 |